

ProKure® V



32oz Liquid Disinfectant

0.042oz (1.19g)

ProKure V is an EPA-registered, hospital-type disinfectant. It is used to **eliminate bacteria, viruses,* mold, and mildew on hard surfaces.**



FEATURES



No PPE Required

- Effective at low concentrations.
- Safe for use on hard, non-porous surfaces.



No Residue

- Spray and go.
- Designed for daily use.
- No wipe. No rinse.
- Dissipates naturally.



Sustainable Approach


- Ships dry.
- Save 23 pounds with each ready-to-activate case.
- Reusable containers.
- Minimal weight and size footprint.

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.042oz Packet: 205-V0042R
ProKure V 0.042oz Case (12 Packets): 205-V0042R12
ProKure 32oz Container: 195-QT

HOW TO ACTIVATE



Step 1: Tear open the foil package and remove the white inner pouches. **DO NOT OPEN WHITE INNER POUCH.** **Step 2:** Add the pouches to an opaque (not clear) ProKure container filled with 32 ounces of water. **Step 3:** Agitate for one minute at 15-minute intervals until full activation at one hour. **Step 4:** Use stored formula within 15 days of activation.



Kills SARS-COV-2 on hard non-porous surfaces in 30 seconds.

VIRUCIDE:

- Human Immunodeficiency Virus Type 1 (HIV-1) (HTLV-III)
- Hepatitis A (HM-175)
- Herpes Simplex-2 (ATCC VR-734)
- Rhinovirus type 37 (ATCC VR-1147)
- Influenza-A virus (ATCC VR-544)
- Coronavirus (ATCC VR-740)
- Poliovirus-1 (ATCC VR-1000)
- Feline Calicivirus (ATCC VR-782)
- Rotavirus (WA)
- Canine Parvovirus (ATCC VR-2017)
- Adenovirus type 5 (ATCC VR-5)
- Vaccinia Virus (ATCC VR-119)
- Norovirus (feline calici used as testing surrogate) (ATCC VR-782)
- Bordetella Bronchiseptica (kennel cough) (ATCC 10580)
- Canine Distemper Virus, Strain Snyder Hill (ATCC VR-1587)
- Feline Panleukopenia Virus (Feline Distemper)

FUNGICIDE:

- Fusarium solani (ATCC 36031)
- Botrytis Sp and Penicillium digitatum (ATCC 201167)
- Aspergillus niger (ATCC 9642)

ALGAECIDE (Phormidium boneri)

SANITIZER:

- Staphylococcus aureus (ATCC 6538)
- Salmonella typhimurium (MDRS) (ATCC 13311)
- Klebsiella pneumonia (ATCC 4352)
- E. coli (ATCC 11229)
- E. coli O157:H7 (ATCC 43895)
- Listeria monocytogenes (ATCC 19111)

DISINFECTANT:

- Methicillin-resistant S. aureus (MRSA) (ATCC 33592)
- Staphylococcus aureus (ATCC 6538)
- Pseudomonas aeruginosa (ATCC 15442)
- Listeria monocytogenes (ATCC 19111)
- Trichophyton mentagrophytes (athlete's foot) (ATCC 9533)
- Vancomycin-resistant Enterococcus faecalis (ATCC 51299)
- Salmonella enteric (ATCC 10708)
- Mycobacterium bovis (ATCC 35737)
- Candida albicans (ATCC 10232)

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.042oz Packet: 205-V0042R
ProKure V 0.042oz Case (12 Packets): 205-V0042R12
ProKure 32oz Container: 195-QT

ProKure[®] V



1-Gallon Liquid Disinfectant

0.17oz (5g)

ProKure V is an EPA-registered, hospital-type disinfectant. It is used to **eliminate bacteria, viruses,* mold, and mildew on hard surfaces.**



FEATURES



No PPE Required

- Effective at low concentrations.
- Safe for use on hard, non-porous surfaces.



No Residue

- Spray and go.
- Designed for daily use.
- No wipe. No rinse.
- Dissipates naturally.



Sustainable Approach


- Ships dry.
- Save 100 pounds with each ready-to-activate case.
- Reusable containers.
- Minimal weight and size footprint.

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.17oz Packet: 205-V017R
ProKure V 0.17oz Case (12 Packets): 205-V017R12
ProKure 1-Gallon Container: 195-1G

HOW TO ACTIVATE



Step 1: Tear open the foil package and remove the white inner pouches. **DO NOT OPEN WHITE INNER POUCH.** **Step 2:** Add the pouches to an opaque (not clear) ProKure container filled with one (1) gallon of water. **Step 3:** Agitate for one minute at 15-minute intervals until full activation at one hour. **Step 4:** Use stored formula within 15 days of activation.



Kills SARS-COV-2 on hard non-porous surfaces in 30 seconds.

VIRUCIDE:

- Human Immunodeficiency Virus Type 1 (HIV-1) (HTLV-III)
- Hepatitis A (HM-175)
- Herpes Simplex-2 (ATCC VR-734)
- Rhinovirus type 37 (ATCC VR-1147)
- Influenza-A virus (ATCC VR-544)
- Coronavirus (ATCC VR-740)
- Poliovirus-1 (ATCC VR-1000)
- Feline Calicivirus (ATCC VR-782)
- Rotavirus (WA)
- Canine Parvovirus (ATCC VR-2017)
- Adenovirus type 5 (ATCC VR-5)
- Vaccinia Virus (ATCC VR-119)
- Norovirus (feline calici used as testing surrogate) (ATCC VR-782)
- Bordetella Bronchiseptica (kennel cough) (ATCC 10580)
- Canine Distemper Virus, Strain Snyder Hill (ATCC VR-1587)
- Feline Panleukopenia Virus (Feline Distemper)

FUNGICIDE:

- Fusarium solani (ATCC 36031)
- Botrytis Sp and Penicillium digitatum (ATCC 201167)
- Aspergillus niger (ATCC 9642)

ALGAECIDE (Phormidium boneri)

SANITIZER:

- Staphylococcus aureus (ATCC 6538)
- Salmonella typhimurium (MDRS) (ATCC 13311)
- Klebsiella pneumonia (ATCC 4352)
- E. coli (ATCC 11229)
- E. coli O157:H7 (ATCC 43895)
- Listeria monocytogenes (ATCC 19111)

DISINFECTANT:


- Methicillin-resistant S. aureus (MRSA) (ATCC 33592)
- Staphylococcus aureus (ATCC 6538)
- Pseudomonas aeruginosa (ATCC 15442)
- Listeria monocytogenes (ATCC 19111)
- Trichophyton mentagrophytes (athlete's foot) (ATCC 9533)
- Vancomycin-resistant Enterococcus faecalis (ATCC 51299)
- Salmonella enteric (ATCC 10708)
- Mycobacterium bovis (ATCC 35737)
- Candida albicans (ATCC 10232)

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.17oz Packet: 205-V017R
ProKure V 0.17oz Case (12 Packets): 205-V017R12
ProKure 1-Gallon Container: 195-1G

ProKure® V



5-Gallon Liquid Disinfectant 0.84oz (23.8g)

ProKure V is an EPA-registered, hospital-type disinfectant. It is used to **eliminate bacteria, viruses,* mold, and mildew on hard surfaces.**



FEATURES



No PPE Required

- Effective at low concentrations.
- Safe for use on hard, non-porous surfaces.



No Residue

- Spray and go.
- Designed for daily use.
- No wipe. No rinse.
- Dissipates naturally.



Sustainable Approach


- Ships dry.
- Save 500 pounds with each ready-to-activate case.
- Reusable containers.
- Minimal weight and size footprint.

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.84oz Packet: 205-V084R
ProKure V 0.84oz Case (12 Packets): 205-V084R12
ProKure 5-Gallon Container: 185-5GS-C

HOW TO ACTIVATE



Step 1: Tear open the foil package and remove the white inner pouches. **DO NOT OPEN WHITE INNER POUCH.** **Step 2:** Add the pouches to an opaque (not clear) ProKure container filled with five gallons of water. **Step 3:** Agitate for one minute at 15-minute intervals until full activation at one hour. **Step 4:** Use stored formula within 15 days of activation.



Kills SARS-COV-2 on hard non-porous surfaces in 30 seconds.

VIRUCIDE:

- Human Immunodeficiency Virus Type 1 (HIV-1) (*HTLV-III*)
- Hepatitis A (*HM-175*)
- Herpes Simplex-2 (*ATCC VR-734*)
- Rhinovirus type 37 (*ATCC VR-1147*)
- Influenza-A virus (*ATCC VR-544*)
- Coronavirus (*ATCC VR-740*)
- Poliovirus-1 (*ATCC VR-1000*)
- Feline Calicivirus (*ATCC VR-782*)
- Rotavirus (*WA*)
- Canine Parvovirus (*ATCC VR-2017*)
- Adenovirus type 5 (*ATCC VR-5*)
- Vaccinia Virus (*ATCC VR-119*)
- Norovirus (feline calici used as testing surrogate) (*ATCC VR-782*)
- Bordetella Bronchiseptica (kennel cough) (*ATCC 10580*)
- Canine Distemper Virus, Strain Snyder Hill (*ATCC VR-1587*)
- Feline Panleukopenia Virus (*Feline Distemper*)

FUNGICIDE:

- Fusarium solani (*ATCC 36031*)
- Botrytis Sp and Penicillium digitatum (*ATCC 201167*)
- Aspergillus niger (*ATCC 9642*)

ALGAECIDE (Phormidium boneri)

SANITIZER:

- Staphylococcus aureus (*ATCC 6538*)
- Salmonella typhimurium (MDRS) (*ATCC 13311*)
- Klebsiella pneumonia (*ATCC 4352*)
- E. coli (*ATCC 11229*)
- E. coli O157:H7 (*ATCC 43895*)
- Listeria monocytogenes (*ATCC 19111*)

DISINFECTANT:


- Methicillin-resistant S. aureus (MRSA) (*ATCC 33592*)
- Staphylococcus aureus (*ATCC 6538*)
- Pseudomonas aeruginosa (*ATCC 15442*)
- Listeria monocytogenes (*ATCC 19111*)
- Trichophyton mentagrophytes (athlete's foot) (*ATCC 9533*)
- Vancomycin-resistant Enterococcus faecalis (*ATCC 51299*)
- Salmonella enteric (*ATCC 10708*)
- Mycobacterium bovis (*ATCC 35737*)
- Candida albicans (*ATCC 10232*)

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 0.84oz Packet: 205-V084R
ProKure V 0.84oz Case (12 Packets): 205-V084R12
ProKure 5-Gallon Container: 185-5GS-C


ProKure® V



25-Gallon Liquid Disinfectant

4.2oz (23.8g)

ProKure V is an EPA-registered, hospital-type disinfectant. It is used to **eliminate bacteria, viruses, mold, and mildew on hard surfaces.**



FEATURES



No PPE Required

- Effective at low concentrations.
- Safe for use on hard, non-porous surfaces.



No Residue

- Spray and go.
- Designed for daily use.
- No wipe. No rinse.
- Dissipates naturally.



Sustainable Approach

- Ships dry.
- Save 2,508 pounds with each ready-to-activate case.
- Reusable containers.
- Minimal weight and size footprint.


EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 4.2oz Packet: 205-V420R
ProKure V 4.2oz Case (12 Packets): 205-V420R12

ProKure 20-Gallon Container: 185-20GC
Rotary Pump for Large Drum: 195-DRP
Hand Pump for Large Drum: 195-DHP

HOW TO ACTIVATE



Step 1: Tear open the foil package and remove the white inner pouches. **DO NOT OPEN WHITE INNER POUCHES.** **Step 2:** Add the pouches to an opaque (not clear) ProKure container filled with 25 gallons of water. **Step 3:** Agitate for one minute at 15-minute intervals until full activation at one hour. **Step 4:** Use stored formula within 15 days of activation.



Kills SARS-COV-2 on hard non-porous surfaces in 30 seconds.

VIRUCIDE:

- Human Immunodeficiency Virus Type 1 (HIV-1) (HTLV-III)
- Hepatitis A (HM-175)
- Herpes Simplex-2 (ATCC VR-734)
- Rhinovirus type 37 (ATCC VR-1147)
- Influenza-A virus (ATCC VR-544)
- Coronavirus (ATCC VR-740)
- Poliovirus-1 (ATCC VR-1000)
- Feline Calicivirus (ATCC VR-782)
- Rotavirus (WA)
- Canine Parvovirus (ATCC VR-2017)
- Adenovirus type 5 (ATCC VR-5)
- Vaccinia Virus (ATCC VR-119)
- Norovirus (feline calici used as testing surrogate) (ATCC VR-782)
- Bordetella Bronchiseptica (kennel cough) (ATCC 10580)
- Canine Distemper Virus, Strain Snyder Hill (ATCC VR-1587)
- Feline Panleukopenia Virus (Feline Distemper)

FUNGICIDE:

- Fusarium solani (ATCC 36031)
- Botrytis Sp and Penicillium digitatum (ATCC 201167)
- Aspergillus niger (ATCC 9642)

ALGAECIDE (Phormidium boneri)

SANITIZER:

- Staphylococcus aureus (ATCC 6538)
- Salmonella typhimurium (MDRS) (ATCC 13311)
- Klebsiella pneumonia (ATCC 4352)
- E. coli (ATCC 11229)
- E. coli O157:H7 (ATCC 43895)
- Listeria monocytogenes (ATCC 19111)

DISINFECTANT:

- Methicillin-resistant S. aureus (MRSA) (ATCC 33592)
- Staphylococcus aureus (ATCC 6538)
- Pseudomonas aeruginosa (ATCC 15442)
- Listeria monocytogenes (ATCC 19111)
- Trichophyton mentagrophytes (athlete's foot) (ATCC 9533)
- Vancomycin-resistant Enterococcus faecalis (ATCC 51299)
- Salmonella enteric (ATCC 10708)
- Mycobacterium bovis (ATCC 35737)
- Candida albicans (ATCC 10232)

EPA Reg. No. 87508-3-89334
EPA Est. No. 62788-AL-001

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Read the entire label and use strictly in accordance with precautionary statements and use.

ProKure V 4.2oz Packet: 205-V420R
ProKure V 4.2oz Case (12 Packets): 205-V420R12

ProKure 20-Gallon Container: 185-20GC
Rotary Pump for Large Drum: 195-DRP
Hand Pump for Large Drum: 195-DHP